


Equal Angles



Order Code	A (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)
10-10010	12.00	1.65	0.100	100
10-10030	12.00	3.00	0.170	100
10-10050	16.00	1.50	0.125	100
10-10070	20.00	1.50	0.158	100
10-10110	20.00	3.00	0.303	100
10-10130	25.00	1.60	0.210	100
10-10150	25.00	2.00	0.262	100
10-10170	25.00	3.00	0.382	100
10-10220	25.40	1.59	0.214	100
10-10240	25.40	4.78	0.600	102
10-10260	25.40	6.00	0.728	102
10-10280	30.00	3.00	0.463	120
10-10300	30.00	5.00	0.745	120
10-10340	31.75	3.00	0.490	127
10-10380	31.80	1.50	0.254	128
10-10410	32.00	3.00	0.500	128
10-10440	38.10	4.50	0.871	152
10-10460	40.00	1.40	0.300	160
10-10480	40.00	1.60	0.339	160
10-10500	40.00	3.00	0.624	160

A = Width/Height T = Thickness

Finish - Mill finish


Grade - 6060 or 6063 - Alternative grades may be available

Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Equal Angles



Order Code	A (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)
10-10540	40.00	5.00	1.016	160
10-10560	40.00	6.00	1.203	160
10-10580	50.00	1.60	0.425	200
10-10620	50.00	3.00	0.792	200
10-10640	50.00	4.00	1.040	200
10-10660	50.00	5.00	1.287	200
10-10680	50.00	6.00	1.584	200
10-10720	50.80	4.78	1.336	203
10-10740	60.00	2.00	0.640	240
10-10760	60.00	3.00	0.951	240
10-10780	60.00	6.00	1.854	240
10-10820	75.00	3.00	1.204	300
10-10900	75.00	6.00	2.341	300
10-10960	76.20	3.00	1.210	305
10-10980	76.20	4.50	1.797	305
10-11000	76.20	6.00	2.372	305
10-11040	76.20	9.52	3.679	305
10-11100	100.00	4.00	2.117	400
10-11120	100.00	6.00	3.154	400
10-11160	152.40	12.00	9.527	608

A = Width/Height T = Thickness

Finish - Mill finish

Grade - 6060 or 6063 - Alternative grades may be available


Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability



Unequal Angles



Order Code	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)
11-10020	20.00	12.00	1.50	0.125	100
11-10040	20.00	12.00	3.00	0.238	100
11-10060	25.00	12.00	1.50	0.144	100
11-10080	25.00	12.00	3.00	0.275	100
11-10100	25.00	20.00	1.50	0.177	100
11-10120	25.00	20.00	2.50	0.288	100
11-10140	25.40	12.70	3.00	0.284	100
11-10160	30.00	25.00	2.00	0.287	110
11-10180	32.00	20.00	1.50	0.205	104
11-10200	32.00	25.00	3.00	0.437	114
11-10220	38.00	19.00	1.60	0.239	114
11-10240	38.00	25.00	3.00	0.486	128
11-10260	40.00	12.00	3.00	0.398	104
11-10300	40.00	20.00	1.60	0.256	120
11-10320	40.00	20.00	3.00	0.467	120
11-10340	40.00	25.00	1.50	0.260	130
11-10360	40.00	25.00	3.00	0.508	130
11-10380	50.00	20.00	1.50	0.278	140

A = Width B = Height T = Thickness

Finish - Mill finish


Grade - 6060 or 6063 - Alternative grades may be available

Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Unequal Angles



Order Code	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)
11-10400	50.00	20.00	3.00	0.545	140
11-10420	50.00	25.00	1.50	0.301	150
11-10440	50.00	25.00	3.00	0.585	150
11-10460	60.00	25.00	3.00	0.667	170
11-10485	65.00	29.00	3.00	0.770	188
11-10500	70.00	25.00	1.50	0.380	190
11-10520	70.00	40.00	1.50	0.441	220
11-10540	75.00	25.00	3.00	0.789	200
11-10560	75.00	50.00	3.00	0.999	250
11-10580	75.00	50.00	6.00	1.935	250
11-10585	76.20	25.40	3.18	0.845	203
11-10600	80.00	40.00	3.00	0.958	240
11-10620	90.00	40.00	1.40	0.486	260
11-10640	100.00	25.00	3.00	0.999	250
11-10660	100.00	50.00	3.00	1.195	300
11-10680	100.00	50.00	6.00	2.388	300
11-10720	150.00	75.00	6.00	3.561	450
11-10740	200.00	100.00	10.00	7.830	600

A = Width B = Height T = Thickness

Finish - Mill finish

Grade - 6060 or 6063 - Alternative grades may be available


Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability



Channels



Order Code	A (mm)	B (mm)	T1 (mm)	T2 (mm)	Mass (Kg/m)	Perimeter (mm)
12-10300	9.50	9.50	2.40	1.50	0.116	100
12-10360	16.00	16.00	1.60	1.60	0.197	100
12-10380	18.70	18.00	1.65	1.65	0.288	100
12-10400	20.00	20.00	3.00	3.00	0.439	114
12-10405	20.00	23.00	1.50	1.50	0.260	129
12-10420	25.00	25.00	1.50	1.50	0.295	147
12-10440	25.00	25.00	3.00	3.00	0.559	144
12-10460	25.00	40.00	3.00	3.00	0.805	204
12-10480	25.00	50.00	3.00	3.00	0.975	244
12-10500	32.00	25.00	3.00	3.00	0.618	158
12-10520	36.00	36.00	2.50	2.50	0.703	211
12-10540	40.00	12.00	3.00	3.00	0.475	122
12-10560	40.00	20.00	1.60	1.60	0.335	157
12-10580	40.00	20.00	3.00	3.00	0.599	154
12-10600	40.00	25.00	3.00	3.00	0.682	174
12-10620	50.00	15.00	3.00	3.00	0.601	158
12-10640	50.00	25.00	3.00	3.00	0.761	194
12-10660	50.00	50.00	3.00	3.00	1.166	294
12-10680	50.80	25.40	3.00	3.00	0.820	200
12-10700	57.00	15.00	3.00	3.00	0.656	106
12-10715	74.00	40.00	3.00	3.00	1.204	302
12-10720	75.00	25.00	3.00	3.00	0.967	244

A = Width B = Height T1 = Thickness Base T2 = Thickness Legs

Finish - Mill finish


Grade - 6060 or 6063 - Alternative grades may be available

Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Channels



Order Code	A (mm)	B (mm)	T1 (mm)	T2 (mm)	Mass (Kg/m)	Perimeter (mm)
12-10780	80.00	40.00	3.00	3.00	1.252	314
12-10785	87.00	25.00	3.00	3.00	1.266	268
12-10800	100.00	25.00	3.00	3.00	1.171	294
12-10820	100.00	50.00	3.00	3.00	1.577	394
12-10860	101.60	50.80	6.35	6.35	3.278	387
12-10920	152.40	76.20	6.35	6.35	6.378	597

A = Width B = Height T1 = Thickness Base T2 = Thickness Legs

Finish - Mill finish

Grade - 6060 or 6063 - Alternative grades may be available

Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Shower Channel

Order Code	A (mm)	B (mm)	T1 (mm)	T2 (mm)	Mass (Kg/m)	Perimeter (mm)
12-10200	17.60	18.40	1.80	1.80	0.247	103
12-10220	18.00	25.00	2.00	2.00	0.349	132

A = Width B = Height T1 = Thickness Base T2 = Thickness Legs

Finish - Available in **Bright Polished, Matt Black & Silver Anodised**

Grade - 6060 or 6063


Temper - T5

Length - Stocked in **2.1, 2.5 & 3.0m**

- Not all items will be available at all times - Please check with your local branch for current availability



Flat Bars



Order Code	A (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)
13-10010	10.00	3.00	0.081	100
13-10020	12.00	3.00	0.097	100
13-10040	12.00	6.00	0.194	100
13-10060	16.00	3.00	0.130	100
13-10080	20.00	3.00	0.162	100
13-10120	20.00	6.00	0.326	100
13-10130	25.00	1.60	0.108	100
13-10140	25.00	3.00	0.203	100
13-10160	25.00	6.00	0.405	100
13-10180	25.00	10.00	0.678	100
13-10200	25.00	12.00	0.810	100
13-10220	25.40	4.75	0.326	100
13-10260	30.00	3.00	0.244	100
13-10270	30.00	5.00	0.407	100
13-10280	30.00	6.00	0.488	100
13-10320	31.80	6.35	0.549	100
13-10360	38.10	6.35	0.656	100
13-10400	40.00	3.00	0.324	100
13-10420	40.00	6.00	0.648	100
13-10440	40.00	10.00	1.080	100
13-10460	40.00	12.00	1.301	104
13-10500	50.00	3.00	0.407	106
13-10520	50.00	4.00	0.542	108
13-10540	50.00	5.00	0.678	110
13-10560	50.00	6.00	0.814	112
13-10580	50.00	10.00	1.356	120

A = Width **T** = Thickness

Finish - Mill finish


Grade - 6060 or 6063 - Alternative grades may be available

Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Flat Bars



Order Code	A (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)
13-10585	50.00	12.00	1.624	124
13-10600	50.00	20.00	2.710	140
13-10620	50.80	25.40	3.572	152
13-10640	60.00	3.00	0.488	126
13-10660	60.00	6.00	0.976	132
13-10680	60.00	10.00	1.626	140
13-10700	65.00	6.00	1.053	142
13-10720	75.00	5.00	1.013	160
13-10740	75.00	6.00	1.220	162
13-10760	75.00	10.00	2.025	170
13-10780	76.20	3.00	0.624	158
13-10820	76.20	9.52	1.974	171
13-10840	76.20	12.00	2.496	176
13-10880	100.00	3.00	0.810	206
13-10900	100.00	5.00	1.360	210
13-10920	100.00	6.00	1.620	212
13-10940	100.00	10.00	2.720	220
13-10960	100.00	12.00	3.240	224
13-10980	125.00	6.00	2.033	262
13-11000	125.00	10.00	3.388	270
13-11020	127.00	12.70	4.371	279
13-11040	150.00	6.00	2.440	310
13-11060	150.00	12.00	4.880	324
13-11100	200.00	10.00	5.440	420
13-11120	300.00	10.00	8.160	620

A = Width **T** = Thickness

Finish - Mill finish

Grade - 6060 or 6063 - Alternative grades may be available


Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability



Square Bars



Order Code	O.D (mm)	Mass (Kg/m)	Perimeter (mm)
14-10020	12.00	0.390	100
14-10040	12.70	0.437	100
14-10050	15.88	0.680	100
14-10080	19.05	0.983	100
14-10100	20.00	1.084	100
14-10120	25.00	1.694	100
14-10160	31.75	2.732	127
14-10180	38.10	3.934	152
14-10190	40.00	3.110	160

O.D. = Outside Diameter

Finish - Mill finish


Grade - 6061 - Alternative grades may be available

Temper - T6 - Alternative temper's may be available

Length - Stocked in 3.6 and/or 5.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Tee Bars



Order Code	A (mm)	B (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)
15-10600	25.00	25.00	3.00	0.382	100
15-10640	40.00	20.00	1.50	0.238	120
15-10660	40.00	40.00	3.00	0.624	160
15-10680	40.00	40.00	6.00	1.203	160
15-10720	40.00	50.00	6.00	1.390	180
15-10730	50.00	50.00	3.00	0.786	200
15-10760	50.00	50.00	6.00	1.528	200
15-10770	50.00	100.00	6.00	2.369	300
15-10780	63.50	63.50	6.35	2.123	254
15-10800	75.00	75.00	6.00	2.320	300

A = Width **B** = Height **T** = Thickness


Finish - Mill finish

Grade - 6060 or 6063 - Alternative grades may be available


Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability



Solid Rounds



Order Code	O.D (mm)	Mass (Kg/m)	Perimeter (mm)
18-10020	6.10	0.077	100
18-10040	6.35	0.086	100
18-10060	8.00	0.136	100
18-10080	9.53	0.193	100
18-10100	12.70	0.343	100
18-10120	16.00	0.545	100
18-10135	19.00	0.770	100
18-10140	20.00	0.851	100
18-10200	25.40	1.375	100
18-10220	27.00	1.546	100
18-10230	28.00	1.663	100
18-10240	31.80	2.146	100
18-10280	38.10	3.090	120
18-10300	41.28	3.613	130

O.D. = Outside Diameter

Finish - Mill finish


Grade - 6061 - Alternative grades may be available

Temper - T6 - Alternative temper's may be available

Length - Stocked in 3.6 and/or 5.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Solid Rounds



Order Code	O.D (mm)	Mass (Kg/m)	Perimeter (mm)
18-10320	44.45	4.190	139
18-10340	50.00	5.321	157
18-10380	54.00	6.206	170
18-10400	60.32	7.715	190
18-10440	66.68	9.427	220
18-10460	76.20	12.313	239
18-10480	88.90	16.759	279
18-10500	100.00	21.206	314
18-10560	127.00	34.320	399
18-10580	152.40	49.239	479
18-10600	165.00	57.733	518
18-10620	215.90	100.29	678
18-10640	281.94	168.47	886

O.D. = Outside Diameter

Finish - Mill finish

Grade - 6061 - Alternative grades may be available


Temper - T6 - Alternative temper's may be available

Length - Stocked in 3.6 and/or 5.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability



Hollow Squares



Order Code	A (mm)	T (mm)	Edge	Mass (Kg/m)	Perimeter (mm)
16-10020	16.00	1.20	Radius	0.188	100
16-10040	19.00	1.20	Radius	0.243	100
16-10060	19.00	1.60	Square	0.301	100
16-10080	20.00	1.50	Square	0.300	100
16-10100	20.00	1.80	Square	0.348	100
16-10120	20.00	3.00	Square	0.600	100
16-10140	25.00	1.50	Radius	0.346	100
16-10150	25.00	1.60	Square	0.404	100
16-10160	25.00	1.60	Radius	0.404	100
16-10200	25.00	2.00	Radius	0.510	100
16-10210	25.00	3.00	Square	0.713	100
16-10220	25.00	3.00	Radius	0.700	100
16-10240	25.40	1.20	Square	0.315	102
16-10260	30.00	2.00	Radius	0.596	116
16-10280	30.00	3.00	Square	0.875	120
16-10285	30.00	3.00	Radius	0.854	120
16-10300	32.00	3.00	Square	0.943	128
16-10303	32.00	3.00	Radius	0.938	125
16-10320	33.90	1.45	Radius	0.498	131
16-10340	40.00	2.00	Square	0.824	160
16-10360	40.00	2.00	Radius	0.811	156
16-10380	40.00	3.00	Radius	1.203	155

A = Width/Height T = Thickness

Finish - Mill finish


Grade - 6060 or 6063 - Alternative grade's may be available

Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0 and/or 6.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Hollow Squares



Order Code	A (mm)	T (mm)	Edge	Mass (Kg/m)	Perimeter (mm)
16-10400	40.00	4.00	Radius	1.555	160
16-10418	40.00	5.00	Square	1.900	160
16-10420	40.00	5.00	Radius	1.883	156
16-10430	50.00	1.80	Square	0.937	200
16-10440	50.00	2.00	Radius	1.022	195
16-10450	50.00	3.00	Square	1.523	200
16-10460	50.00	3.00	Radius	1.510	195
16-10520	50.00	5.00	Square	2.411	200
16-10523	50.00	5.00	Radius	2.480	195
16-10540	57.00	3.00	Radius	1.672	218
16-10550	65.00	2.50	Square	1.694	260
16-10560	65.00	2.50	Radius	1.694	260
16-10580	75.00	3.00	Square	2.341	300
16-10590	75.00	3.00	Radius	2.341	300
16-10640	76.20	6.35	Radius	4.434	278
16-10660	80.00	6.00	Square	6.221	320
16-10700	100.00	3.00	Square	3.154	400
16-10710	100.00	3.00	Radius	3.077	400
16-10720	100.00	4.00	Square	4.160	400
16-10740	100.00	5.00	Square	5.129	400
16-10760	150.00	3.00	Square	4.815	600

A = Width/Height T = Thickness

Finish - Mill finish

Grade - 6060 or 6063 - Alternative grades may be available


Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0 and/or 6.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability



Hollow Rectangles



Order Code	A (mm)	B (mm)	T (mm)	Edge	Mass (Kg/m)	Perimeter (mm)
17-10020	37.40	14.40	1.20	Square	0.310	100
17-10040	38.00	25.00	1.50	Radius	0.470	121
17-10060	38.00	25.00	2.00	Square	0.622	121
17-10080	40.00	20.00	3.00	Square	0.878	120
17-10100	40.00	25.00	2.00	Square	0.661	130
17-10110	40.00	25.00	2.00	Radius	0.646	130
17-10120	50.00	25.00	1.60	Square	0.623	150
17-10140	50.00	25.00	2.00	Square	0.767	150
17-10150	50.00	25.00	2.00	Radius	0.751	145
17-10160	50.00	25.00	3.00	Radius	1.101	145
17-10162	50.00	25.00	3.00	Square	1.118	150
17-10200	50.00	40.00	3.00	Square	1.366	180
17-10240	60.00	30.00	1.40	Radius	0.664	178
17-10280	60.00	40.00	2.00	Square	1.037	200
17-10300	60.00	40.00	3.00	Square	1.528	200
17-10320	65.00	16.00	1.20	Radius	0.503	159
17-10340	75.00	25.00	3.00	Square	1.526	200
17-10360	75.00	40.00	2.00	Square	1.203	229
17-10400	75.00	50.00	2.50	Square	1.626	250
17-10405	75.00	50.00	3.00	Square	1.928	250

A = Width B = Height T = Thickness

Finish - Mill finish


Grade - 6060 or 6063 - Alternative grades may be available

Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0 and/or 6.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Hollow Rectangles



Order Code	A (mm)	B (mm)	T (mm)	Edge	Mass (Kg/m)	Perimeter (mm)
17-10440	80.00	40.00	3.00	Radius	1.846	235
17-10460	80.00	50.00	3.00	Square	2.008	260
17-10500	80.00	50.00	3.00	Radius	1.967	252
17-10535	100.00	16.00	1.30	Radius	0.787	227
17-10540	100.00	25.00	2.50	Square	1.626	250
17-10550	100.00	50.00	3.00	Square	2.341	300
17-10560	100.00	50.00	3.00	Radius	2.307	300
17-10580	100.00	50.00	4.00	Square	3.067	300
17-10600	100.00	50.00	6.00	Square	4.470	300
17-10610	100.00	50.00	6.00	Radius	4.332	300
17-10620	125.00	40.00	3.00	Square	2.585	330
17-10640	150.00	50.00	3.00	Square	3.154	400
17-10660	150.00	50.00	5.00	Square	4.975	400
17-10680	150.00	75.00	5.00	Square	5.790	450
17-10720	200.00	50.00	2.00	Square	2.676	500
17-10740	200.00	50.00	3.00	Square	3.960	500
17-10760	200.00	100.00	3.00	Square	5.014	600
17-10780	250.00	50.00	3.00	Square	4.780	599
17-10800	300.00	50.00	3.00	Square	5.573	698

A = Width B = Height T = Thickness

Finish - Mill finish

Grade - 6060 or 6063 - Alternative grades may be available


Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0 and/or 6.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability



Hollow Rounds



Order Code	A (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)
19-10020	9.53	1.42	0.098	100
19-10040	12.70	1.42	0.136	100
19-10060	12.70	1.45	0.136	100
19-10080	13.00	3.00	0.254	100
19-10100	13.20	2.50	0.232	100
19-10110	14.00	2.93	0.264	100
19-10120	15.88	1.42	0.174	100
19-10160	16.00	1.20	0.151	100
19-10180	16.00	1.30	0.162	100
19-10185	16.00	1.50	0.185	100
19-10190	16.00	3.00	0.322	100
19-10220	19.00	1.50	0.212	100
19-10260	19.05	1.22	0.193	100
19-10300	19.05	1.45	0.216	100
19-10340	20.00	1.60	0.251	100
19-10360	20.00	5.00	0.623	100
19-10380	21.00	3.30	0.499	100
19-10440	22.22	1.45	0.256	100
19-10500	25.00	3.00	0.562	100
19-10560	25.40	1.45	0.290	100
19-10620	30.00	3.00	0.687	100
19-10640	31.00	5.00	1.107	100
19-10680	31.75	1.40	0.366	100
19-10740	32.00	3.00	0.741	100
19-10750	32.00	5.50	1.236	100
19-10800	38.00	3.50	1.080	119

O.D. = Outside Diameter **T** = Thickness

Finish - Mill finish


Grade - 6060 or 6063 - Alternative grades may be available

Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0 and/or 6.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

Hollow Rounds



Order Code	A (mm)	T (mm)	Mass (Kg/m)	Perimeter (mm)
19-10820	38.10	1.42	0.443	120
19-10825	38.10	1.45	0.450	120
19-10870	40.00	2.00	0.539	126
19-10880	40.00	3.00	0.942	126
19-10921	44.45	3.00	1.059	140
19-10940	45.00	2.00	0.729	141
19-10980	48.26	3.68	1.396	152
19-11000	48.40	2.60	1.014	152
19-11020	48.41	4.47	1.666	152
19-11040	50.00	2.00	0.817	157
19-11060	50.00	3.00	1.209	157
19-11080	50.00	6.00	2.248	157
19-11180	57.00	3.00	1.371	179
19-11220	63.50	3.25	1.661	199
19-11260	63.50	6.35	2.940	199
19-11280	75.00	3.00	1.839	236
19-11340	76.20	6.35	3.776	239
19-11360	79.10	1.60	1.054	248
19-10365	80.00	3.00	1.959	251
19-11380	85.00	2.50	1.756	265
19-11400	100.00	3.00	2.478	314
19-11440	100.00	6.00	4.802	314
19-11460	101.00	3.00	2.512	317
19-11500	150.00	3.00	3.837	471
19-11525	152.40	3.00	3.899	479

O.D. = Outside Diameter **T** = Thickness

Finish - Mill finish

Grade - 6060 or 6063 - Alternative grades may be available

Temper - T5 - Alternative temper's may be available

Length - Stocked in 5.0 and/or 6.0m - Alternative lengths may be available

- Not all items will be available at all times - Please check with your local branch for current availability

